MATERIAL SAFETY DATA SHEET



Date Issued: 09/10/2010 MSDS No: MAXEZINDLOGO-041808

Max EZ®

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Max EZ® **GENERAL USE:** Lubricant and corrosion inhibitor **CHEMICAL FAMILY:** Synthetic based lubricating oil

MANUFACTURER

Royal Purple, Inc. One Royal Purple Lane Porter, TX 77365 **Product Stewardship:** 281-354-8600

DISTRIBUTOR

Royal Purple Oils Australia Pty Ltd 41/2 Richard Close North Rocks Sydney, NSW 2151 (612) 9683 5078 (0417 438279, Cell Phone) **Emergency Contact:** Eian Jones

24 HR. EMERGENCY TELEPHONE NUMBERS

USA: 800-424-9300 International: 703-527-3887(collect calls accepted)

2. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS

EYES: May cause irritation.

SKIN: May irritate the skin after prolonged periods of contact.

INGESTION: May cause diarrhea.

INHALATION: Oil mist may line breathing passages with oil making breathing difficult.

3. COMPOSITION / INFORMATION ON INGREDIENTS

- Base Oil (synthetic with highly refined mineral oil) Synthetic additives with iso-paraffinic diluents.
- The precise composition of this oil is proprietary. A more complete disclosure will be provided to a physician or nurse in the event of a medical emergency.
- All components of this product are listed on the U.S. TSCA inventory.
- This product contains no hazardous substances within the definition of OSHA Regulation 29 CFR 1910.1200.
- Royal Purple certifies that this product has been evaluated for RCRA characteristics and does not meet the criteria of a hazardous waste if discarded in its purchased form.

4. FIRST AID MEASURES

EYES: Flush with water until all residual material is gone. If irritation persists, seek medical help.

SKIN: Wash thoroughly with hand cleanser, followed by soap and water. Contaminated clothing should be dry cleaned before reuse.

INGESTION: Wash out mouth immediately. Do not induce vomiting. Consult physician.

INHALATION: Clear air passage. If respiratory difficulty continues, seek medical help.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: 204°C (400°F) COC AUTOIGNITION TEMPERATURE: > 315°C (600°F) **EXTINGUISHING MEDIA:** Foam, dry powder, Halon®, carbon dioxide, sand, earth and water mist. Unsuitable: Water jet.

OTHER CONSIDERATIONS: Not flammable at ambient temp. Boiling Range / Point ° F (° C): 650-800 (343-427)

FIRE FIGHTING EQUIPMENT: Self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain spill and keep from entering waterways. Absorb on porous material. Large quantities can be pumped.

ENVIRONMENTAL PRECAUTIONS

LAND SPILL: Do not allow it to enter drains.

SPECIAL PROTECTIVE EQUIPMENT: Wear gloves and protective overalls.

7. HANDLING AND STORAGE

HANDLING: No special handling precautions necessary.

STORAGE: Do not store at elevated temperatures.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Glasses, if applied to parts in motion.

SKIN: Oil-proof gloves for hypersensitive persons.

RESPIRATORY: Hydrocarbon absorbing respirator if misting.

PROTECTIVE CLOTHING: Overalls.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid ODOR: Lube Oil COLOR: Purple pH: NA = Not Applicable PERCENT VOLATILE: None VAPOR PRESSURE: < 0.1 VAPOR DENSITY: Greater than air POUR POINT: -56°C FLASH POINT AND METHOD: 204°C (400°F) COC SOLUBILITY IN WATER: Emulsifiable EVAPORATION RATE: Negligible DENSITY: > 0.86 OXIDIZING PROPERTIES: None Flash Point (COC) °F (° C): >400 (>204)

10. STABILITY AND REACTIVITY

STABILITY: Chemically stable under normal conditions. No photoreactive agents.

CONDITIONS TO AVOID: Powerful sources of ignition and extreme temperatures.

HAZARDOUS DECOMPOSITION PRODUCTS: Burning generates smoke, airborne soot, hydrocarbons and oxides of carbon, sulfur and nitrogen. Residue mainly comprised of soot and mineral oxides.

INCOMPATIBLE MATERIALS: Strong inorganic and organic acids, oxidizing agents.

11. TOXICOLOGICAL INFORMATION

ACUTE

ORAL LD₅₀: > 2000 mg/kg

Notes: Extrapolated from component data

SKIN EFFECTS: Very mild

CHRONIC: None known.

SUBCHRONIC: Not known

CARCINOGENICITY

IARC: No

NTP: No

OSHA: No

SENSITIZATION: Not known

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Due to its fluid nature and specific gravity, this product will float or spread across water making it a nuisance contaminant. It is not thought to be toxic to marine or land organisms.

BIOACCUMULATION/ACCUMULATION: Relatively well behaved. Bioaccumulation potential nil.

GENERAL COMMENTS: When released into the environment, adsorption to sediment and soil will be the predominant behavior.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Consider recycling. This product, as sold, does not meet the RCRA characteristics of a hazardous waste. Under RCRA, it is the responsibility of the user, at the time of disposal, to determine whether the product meets the RCRA criteria for hazardous waste. Contact a waste disposal company or local authority for advice.

EMPTY CONTAINER: See waste disposal section listed above.

RCRA HAZARD CLASS: Nonhazardous sources

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

UN/NA NUMBER: N/A

OTHER SHIPPING INFORMATION: Nonhazardous

ROAD AND RAIL (ADR/RID): Bulk Nonhazardous

AIR (ICAO/IATA): Bulk Nonhazardous

VESSEL (IMO/IMDG): Bulk Nonhazardous

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: None

313 REPORTABLE INGREDIENTS: N/A

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: Nonhazardous

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All components are listed


CALIFORNIA PROPOSITION 65: N/A

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM): Not regulated DOMESTIC SUBSTANCE LIST (INVENTORY): All components are listed

16. OTHER INFORMATION

REVISION SUMMARY: New MSDS



MANUFACTURER DISCLAIMER: As of issue date, the information contained herein is accurate and reliable to the best of Royal Purple's knowledge. Royal Purple does not warrant or guarantee its accuracy or reliability and shall not be liable for any loss or damage arising out of the use thereof. It is the user's responsibility to satisfy itself that the information offered for its consideration is suitable for its particular use.